



1 65-20-02 H3 0300

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

**William John Martin**

Serial No: 10/044,683

Filed: 01/08/2002

Group Art Unit: 1645

Examiner: TBA

For: **Therapy of stealth virus associated cancers  
and other conditions using light**

01/18/2002

Assistant Commissioner of Patents  
Washington D.C. 20231

Dear Sir,

I am providing a "double-spaced" substitute specification in compliance with 37 CFR 1.52. The original submission was single spaced. I apologize for the error. I have, of course, made no other changes to the specification. Please use the Drawings from the original application. If any further information is required I can be reached at 626 799-4500.

Sincerely,

A handwritten signature in black ink that reads "W. John Martin".

W. John Martin  
1634 Spruce Street  
South Pasadena CA 91030



O I P E SC181  
MAY 17 2002  
UNITED STATES PATENT AND TRADEMARK OFFICE

## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/044,683	01/08/2002	William John Martin	

## CONFIRMATION NO. 9709

## FORMALITIES LETTER



\*OC000000007701269\*

W. John Martin  
1634 Spruce St.  
South Pasadena, CA 91030

Date Mailed: 03/22/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
  - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).

*A copy of this notice **MUST** be returned with the reply.*

*Tselvin H*  
Customer Service Center  
Initial Patent Examination Division (703) 308-1202  
PART 1 - ATTORNEY/APPLICANT COPY